

Isdaka®



CHASSIS AND TRAILER PARTS

WWW.STEPHANIETIRES.COM

Other products

Garage Equipment
EQUIPOS PARA SERVICENTRO.

Stephanie Ires

Forklift and Tractors
MONTACARGAS Y TRACTORES.

Recycling Plants and Parking Solutions
PLANTAS DE RECICLAJE Y SOLUCIONES PARA PARQUEADEROS.

WWW.STEPHANITIRES.COM

Contact us:
(O) 305-652-2200
(C) 561-213-8525
(E) sales@stephanietires.com

Stephanie Ires

Tires and spare parts for heavy and industrial machinery

Our tires are manufactured with high grade raw materials using the best technology available. We specialize in tires for Agricultural, Industrial, Off-The-Road, Mining and Construction Applications.

Our Engineering department is in constant search for new developments and technologies in the manufacture of our tires.

When you buy our tires you are buying the best quality products.

Direct container-load programs available. Please call us for information.

Stephanie Ires

Since 1987

Tires and spare parts for heavy and industrial machinery

For prices and inquiries
+1 305 652 2200
sandra@stephanietires.com
WWW.STEPHANITIRES.COM

Stephanie Ires

Dargoltz
Advanced Technology

WWW.STEPHANITIRES.COM

O: 305-652-2200
C: 561-213-8525
E: sales@stephanietires.com

Stephanie Ires

MINING TIRES AND MORE

Since 1987

Contact us: 305 652 2200
sales@stephanietires.com

WWW.STEPHANITIRES.COM

High Quality Container Flooring

Stephanie Ires

Plywood Container Flooring

Stephanie Ires

TAKE ADVANTAGE OF THIS OFFER!
Price includes tire delivery to your warehouse. Call us for more information.

11R22.5	295/75 R22.5
11R24.5	285/75 R24.5
	255/70 R22.5

+1 305 652 2200
sales@stephanietires.com
WWW.STEPHANITIRES.COM

Stephanie Ires

GARAGE EQUIPMENT

High quality wheel alignment, wheel balancer, lifts, for automobiles, trucks and heavy machinery.

Since 1987.

WhatsApp: 561 213 8525

www.stephanietires.com

Stephanie Ires

Contact us
WhatsApp +1(561) 213 8525
sales@stephanietires.com
www.stephanietires.com

Air Housing

Fuel / Water Separator

Air / Oil Separator

Gas Filters

Air Breathers

Hydraulic Filters

Dargoltz
Advanced Technology

Forklifts

Good Quality Good Prices.


Contact us today:

WhatsApp: +1 (561) 213 8525
sales@stephanietires.com

CONTENTS


Leaf Spring -----	03
Suspension-----	07
Landing Gear-----	25
Jockey Wheel-----	29
Small Trailer Jack-----	31
Turntable -----	33
Axle -----	35
Wheel Rim-----	40
Spacer-----	44
Fifth wheel -----	45
King Pin-----	46
Coil Spring-----	47
Brake Drum-----	49
Brake Shoe-----	50
Brake Shoe Kits-----	51
S-CAM Shaft-----	52
Slack Adjuster-----	53
Brake Chamber-----	55
Hydraulic Series-----	58
Valve-----	59
Couple Head & Hub cap-----	63
Air Brake Coil-----	64
Electric Coil-----	65
Plug& Socket-----	66
Air Dryer-----	67
Clutch Booster-----	68
Container Lock -----	69
Bolt -----	70
Tool -----	71
Cargo Control-----	72
Jack-----	73
Coupling-----	74
Tank & Hydraulic Cylinder-----	75
Engine Parts-----	77
Tie Rod End -----	79
Air Compressor -----	80
Mudguard&Lamp-----	81
Trailer And Engineering Parts-----	83
Farm Machinery Parts-----	84
Small Trailer & Product Testing Flow-----	85

Trailer Leaf Spring



Trailer Leaf Spring

Model	Width× Thickness	Flat Length (mm)	Leaves
TMLF 76-E13	76×13	1120	10
TMLF 76-E14	76×14	1178	7-8
TMLF 90-A11	90×11	1130	7-9
TMLF 90-A13	90×13	1130	7-10
TMLF 100-E10	100×10	1120	7-10
TMLF 100-E12	100×12	1120	7-10




Trailer Leaf Spring

Model	Width× Thickness	Leaves	Model	Width× Thickness	Leaves
TMLF 46-1280	100×20	2	TMLF 50-067	90×33	1
TMLF 46-1406	100×20	2	TMLF 50-220	100×30	1
TMLF 46-1302	100×20	2	TMLF 59-464	100×22	2
TMLF 46-1240	100×20	2	TMLF 59-428	100×25	2
TMLF 46-1319	75×18	7	TMLF 62-890	90×13	13
TMLF 55-120	100×20	2	TMLF 62-968	90×18	3
TMLF 55-144	100×22	2	TMLF 62-830	90×18	3
TMLF 55-930	100×22	2	TMLF 62-1044	90×20	2
TMLF 55-1218	100×22	2	TMLF 62-155	100×20	10


Leaf Spring

Small Trailer Leaf Spring




Small Trailer Leaf Spring					
Model	Width× Thickness	Leaves	Model	Width× Thickness	Leaves
TMUNA041	44.5x8	3	TMUNA043	44.5x8	3
TMUNA016	44.5x6	5	TMUNA039	44.5x9	3
TMUNA167	44.5x8	4	TMUNA216	44.5x9	3
TMUNA030	44.5x6.5	4	TMUNA115	44.5x21	4
TMUNA124	44.5x6.5	4	TMUNA116	45x13	1
TMUNA220	44.5x9	3	TMSW4B	44.5x8	4
TMUNA117	44.5x15	1	TMSW5	44.5x9	5
TMUNA118	44.5x18	1	TM13093	44.5x9	3
TMUPCO-013	44.5x6.5	2	TMUPCO-014	44.5x6.5	3

TRA Leaf Spring



Trailer Leaf Spring								
Model	Width× Thickness	Leaves	Model	Width× Thickness	Leaves	Model	Width× Thickness	Leaves
TMTRA2726	76X20	3	TMTRA693	76X20	3	TMTRA3319	76x13	9
TMTRA2727	76X20	3	TMTRA696	75X13	9	TMTRA3341	76x20	3
TMTRA2728	76X20	3	TMTRA699	76X20	4	TMTRA074	76x43	1
TMTRA2752	76X24	2	TMTRA697	76X20	3	TMTRA075	76x43	1
TMTRA2754	76X24	2	TMTRA2740	76X24	3	TMTRA026	76x35	1
TMTRA2741	76X24	3	TMTRA2270	76X13	8	TMTRA2160	75x13	8
TMTRA021	76X35	1	TMTRA2750	128X28	3	TMTRA2260	75x13	8
TMTRA023	76X35	1	TMTRA2746	127X20	10	TMTRA2297	80x13	8

Leaf Spring




TMDL Leaf Spring		
Model	Width×Thickness	Leaves
TMDL12014 -7	120 ×14	7
TMDL12014 -9	120 ×14	9
TMDL12014 -11	120 ×14	11
TMDL12014 -13	120 ×14	13
TMDL12014 -15	120 ×14	15

37X100-1570





26x90-1600



TMBZ10020




TM62-147





Leaf Spring






TMZ100X56-165



TMZ100X56-45

**TMZ100X38**


TMZ1421060-LH

**TM55-154****TM55-021****TM46-1319****TM55-035**

Suspension

American Suspension

TM8803OQ



TM8803OQ Suspension			
Model		Leaf Spring	Axle Load(kg)
Single Suspension	TM8801OQ10	90×13×10	13,000×1
Tandem Suspension	TM8802OQ10	90×13×10	13,000×2
Tri Suspension	TM8803OQ10	90×16×10	16,000×3

Suspension

Accessories



TM88-01



TM88-02



TM88-03



TM88-04



TM88-05



TM88-06



TM88-07



TM88-08



TM88-09



TM88-10



TM88-11



TM88-12



TM88-13




TM88-14

Suspension

American Suspension

TM6802OR



TM6802OR Suspension			
Model		Leaf Spring	Axle Load(kg)
Single Suspension	TM6801OR10	75×13×10	11,000×1
Tandem Suspension	TM6802OR10	75×13×10	11,000×2
Tri Suspension	TM6803OR10	75×13×10	11,000×3

Suspension

Accessories



TM68-01



TM68-02



TM68-03




TM68-04



TM68-05



TM68-06



TM68-07



TM68-08



TM68-09



TM68-10



TM68-11




TM68-11

Suspension


Hutch Suspension

TMHS6602OR



TMHS6602OR Suspension			
Model	Thickness of Hanger	Leaf Spring	Axle Load(kg)
TMHS6601OR	6	TMTRA2726	9,000×1
TMHS6602OR	6	TMTRA2726	9,000×2

TMROR02



Model	A (mm)	B (mm)	D (mm)	FH (mm)	Leaf Spring	Capacity (kg)
TMROR1102	1360	500	□120/□150	385	75×25-3	11,000
TMROR1302	1360	500	□120/□150	410	75×25-4	13,000

Suspension

Accessories



338-452



338-885



338-456



338-886



338-419



E-2830



E-957



E-2889



338-409



338-388



345-167



345-164



334-548



334-1612



321-221



321-176

Suspension

Brazilian suspension

TMBS02OR



TMBS02OR Suspension			
Model	Thickness of Hanger	Leaf Spring	Axle Load(kg)
TMBS02OR	6	90X13-10	13,000×2

TMBS02UR



TMBS02OR Suspension			
Model	Thickness of Hanger	Leaf Spring	Axle Load(kg)
TMBS02UR	8	90X13-10	13,000×2

Suspension

Accessories



TMBS02OR-01



TMBS02OR-02



TMBS02OR-03



TMBS02OR-04



TMBS02UR-01



TMBS02UR-02



TMBS02UR-03



TMBS02UR-04



TMBS02OR-05



TMBS02OR-06



TMBS02OR-07



TMBS02OR-08



TMBS02OR-09



TMBS02UR-10



TMBS02OR-11



TMBS02OR-12


Suspension

South Africa Suspension

TMSA1402OR-F



TMSA1402UR-J



TMSA1402OR-F Suspension			
Model	Thickness of Hanger	Leaf Spring	Axle Load(kg)
TMSA1402OR-F	6	75×16×9	14,000×2
TMSA1402UR-J	6	76×14×9	14,000×2

Suspension

Accessories

F-Series



TMORF01



TMORF02



TMORF03



TMORF04



TMORF05

J-Series



TMURJ01



TMURJ02



TMURJ03



TMURJ04



TMURJ05



U-Bolt-SA01



Bush-SA02




Suspension Arm-SA01



Suspension Arm-SA02

European Suspension

TMES020Q



TMES020Q Suspension			
Model	Thickness of Hanger	Leaf Spring	Axle Load(kg)
TMES020Q	8	100×12×12	14,000x2
TMES030Q	10	100×12×12	16,000x3

Suspension

Accessories



TMES02OQ-01



TMES02OQ-02



TMES02OQ-03



TMES02OQ-04



TMES02OQ-05



TMES02OQ-06



TMES02OQ-07



TMES02OQ-08



TMES02OQ-09



TMES02OQ-10



TMES02OQ-11




TMES02OQ-12

Suspension


Agricultural Suspension

TMAS0602OQ




TMASB Tandem Suspension						
Model	A1	A2	L1	L2	Leaf Spring	Axle Load(kg)
TMAS0602OQ07	123	120	820	820	75×13×7	6,000×2

TMAS0302OQ



Model	WidthxThickness	Camber	Leaves
TMAS 0302 OQ -5	60X7	115	5
TMAS 0302 OQ -6	60X7	115	6
TMAS 0302 OQ -7	60X7	115	7
TMAS 0302 OQ -8	60X7	115	8

Cantilever Suspension



Drum Bogie



Item No.	Capacity (T)	Bearing	Brake Spec.(mm)	Track (mm)	P.C.D (mm)	Tyre Screw	Axle Space (mm)
TMBD24-A01	24	33213 33118	Φ420×180	1840	Φ335	10-M22×1.5	1400
TMBD28-A01	28	33215 32219	Φ420×200	1840	Φ335	10-M22×1.5	1550
TMBD32-A01	32	32314 32222	Φ420×220	1840	Φ335	10-M22×1.5	1550

Spoke Bogie




Item No.	Capacity (T)	Bearing	Brake Spec.(mm)	Dual Spacing (mm)	Rim Diameter	Axle Space (mm)
TMBS24-A01	24	33213 33118	Φ420*180	1870	6×M22 Space24"	1400
TMBS28-A01	28	33215 32219	Φ420*200	1870	6×M22 Space24"	1550
TMBS32-A01	32	32314 32222	Φ420*220	1870	6×M22 Space24"	1550


Suspension

Air Suspension

TMAS13L-AR02



TMAS12L-GQ01



TMAS09-W02



TMRS-R01



Air Suspension

TMAS10-SQ01



Accessories



TMAS10-SQ01.1

TMAS10-SQ01.2

TMAS10-SQ01.3
8050

TMAS10-SQ01.4



TMAS10-SQ01.5

TMAS10-SQ01.6

TMAS10-SQ01.7

TMAS10-SQ01.8



TMAS10-SQ01.9

TMAS10-SQ01.10


TMAS10-SQ01.11

TMAS10-SQ01.12

Air Suspension



TMAS11-AR03



Accessories



TMAS11-AR03.1L



TMAS11-AR03.1R



TMAS11-AR03.2L



TMAS11-AR03.2R



TMAS11-AR03.3L



TMAS11-AR03.3R



TMAS11-AR03.4



TMAS11-8050



TMAS11-AR03.5



TMAS11-AR03.6



TMAS11-AR03.7



TMAS11-AR03.8



TMAS11-AR03.9



TMAS11-AR03.10



TMAS11-AR03.11




TMAS11-AR03.12

Air Suspension



TMAS11-UR04



Accessories



**TMAS11-UR
04.1L**



**TMAS11-UR
04.1R**



**TMAS11-UR
04.2L**



**TMAS11-UR
04.2R**



TMAS11-UR04.3



TMAS11-557140



TMAS11-6338



TMAS11-UR04.4



TMAS11-UR04.5



TMAS11-UR04.6



TMAS11-UR04.7



TMAS11-UR04.8



TMAS11-UR04.9





TMAS11-UR04.10



TMAS11-UR04.11

TML028-T01

**TMLO28-P07**

Shoe Type:	T 	S 	A 	R 
------------	---	---	---	---

TMLS-T01	TMLS-G01	TMLS-S01	TMLS-A01	TMLS-R01
				

Landing Gear



TMLO28-T02



TMLO28-T03



TMLO28-T04



TMLO28-T14



TMLO28-T05



TMLO28-T06



TMLI28-S04




TMLI25-T01



TMLI28-G03

Landing Gear

Gearbox Outside



Low Profile T Shoe




High Profile T Shoe




One Side Operation Landing Gear Assy.			
Model	Type Shoe	Lift D(mm)	Height A(mm)
TMLO28-T01	T	480	853
TMLO28-A01	A	480	873
TMLO28-R01	R	480	856
TMLO28-S01	S	480	881
TMLO28-G01	G	480	829


Gearbox Outside



Low Profile T Shoe




High Profile T Shoe



One Side Operation Landing Gear Assy.			
Model	Type Shoe	Lift D(mm)	Height A(mm)
TML028-T02	T	480	844
TML028-A02	A	480	864
TML028-R02	R	480	847
TML028-S02	S	480	872
TML028-G02	G	480	820


Gearbox Inside



Low Profile T Shoe



High Profile T Shoe



One Side Operation Landing Gear Assy.			
Model	Type Shoe	Lift D(mm)	Height A(mm)
TMLI25-T01	T	480	837
TMLI25-A01	A	480	857
TMLI25-R01	R	480	840
TMLI25-S01	S	480	865
TMLI25-G01	G	480	813

Jockey Wheel


TMJW300A

TMJW300B

TMJW500A

TMJW500B

Model	Load	Travel	Pipe Size	Wheel	Handle Type
TMJW 300 A	300 LBS	10"	φ 34	6" solid wheel	Top
TMJW 300 B	300 LBS	10"	φ 48	10" inflated wheel	Top
TMJW 500 A	500 LBS	10"	φ 48	8" solid wheel	Top
TMJW 500 B	500 LBS	10"	φ 48	8" solid wheel	Top


TMJW1000A

TMJW1200A

TMJW1200B

TMJW1200C

Model	Load	Travel	Pipe Size	Wheel	Handle Type
TMJW1000A	1000LBS	10"	φ 50	6" solid wheel	Side
TMJW1200A	1200LBS	10"	φ 48	8" solid wheel	Top
TMJW1200B	1200LBS	10"	φ 48	8" solid wheel	Top
TMJW1200C	1200LBS	10"	φ 48	10" solid wheel	Top



TMJW1500A



TMJW1500B



TMJW2000A



TMJW2000B

Model	Load	Travel	Pipe Size	Wheel	Handle Type
TMJW1500A	1500LBS	10"	φ 50	8" solid wheel	Side
TMJW1500B	1500LBS	10"	φ 48	8" solid wheel	Top
TMJW2000A	2000LBS	10"	φ 50	6" solid wheel	Side
TMJW2000B	2000LBS	10"	φ 48	10" solid wheel	Top



TMJW500



TMJW1000



TMJW1200



TMJW1500

Model	Load	Travel	Pipe Size	Wheel	Handle Type
TMJW500	500LBS	10"	φ 42	6" solid wheel	Top
TMJW1000	1000LBS	10"	φ 50	6" solid wheel	Side
TMJW1200	1200LBS	10"	φ 50	6" solid wheel	Side
TMJW1500	1500LBS	10"	φ 50	8" solid wheel	Side

**TMTJ2000A****TMTJ2000B****TMTJ2000C****TMTJ2000D**

Model	Load	Travel	Pipe Size	Handle Type
TMTJ2000A	2000LBS	10"	φ 48	Top
TMTJ2000B	2000LBS	15"	φ 57	Side
TMTJ2000C	2000LBS	10"	φ 57	Side
TMTJ2000D	2000LBS	10"	φ 57	Side

**TMTJ5000A****TMTJ5000B****TMTJ5000C****TMTJ5000D**

Model	Load	Travel	Pipe Size	Handle Type
TMTJ5000A	5000LBS	60mm	φ 48	-
TMTJ5000B	5000LBS	15"	φ 57	Top
TMTJ5000C	5000LBS	15"	φ 57	Side
TMTJ5000D	5000LBS	15"	φ 57	Top



TMTJ8000A



TMTJ8000B



TMTJ8000C



TMTJ8000D


Model	Load	Travel	Pipe Size	Handle Type
TMTJ 8000 A	8000 LBS	15"	□ 64	Side
TMTJ 8000 B	8000 LBS	15"+10"	□ 64	Top
TMTJ 8000 C	8000 LBS	15"+10"	□ 64	Side
TMTJ 8000 D	8000 LBS	15"+10"	□ 64	Side



TMTJ12000




TMTJ1600/2000




Model	Capacity	Travel	Handle Type	Pipe Size	N.W (KG)
TMTJ12000	12000 LBS/6000KG	10"+15"	Side	□ 100	27
TMTJ 1600	1600 LBS/800 KG	10"	Top	□ 80	5.8
TMTJ 2000	2000 LBS/1000 KG	10"	Top	□ 80	6.8
TMTJ 4000	4000 LBS/2000 KG	15"	Top	□ 80	12.5

Casting Turntable-A




Item No.	A	B	E	F	H	Weight	Capacity (T)
	mm	mm	mm	mm	mm	Kg	
TMTS400-A01	400	400	288	275	55	15	1
TMTS500-A01	500	500	392	376	55	32	2
TMTS685-A01	685	700	590	565	80	45	3
TMTS880-A01	880	895	779	754	80	60	5
TMTS1000-A01	1000	1015	885	860	80	84	10
TMTS1022-A01	1022	1013	890	870	80	80	8
TMTS1100-A01	1100	1115	985	960	90	92	12
TMTS1100-A02	1100	1111	983	949	90	92	12
TMTS1200-A01	1200	1211	1083	1050	90	110	14
TMTS1300-A01	1300	1315	1180	1146	90	118	15
TMTS1300-A02	1300	1315	1185	1160	90	118	15

Casting Turntable-B




Item No.	A	B	E	F	H	Weight	Capacity (T)
	mm	mm	mm	mm	mm	Kg	
TMTD650-B01	650	665	552	500	80	74	10
TMTD880-B01	880	880	780	740	80	80	14
TMTD1000-B01	987	1000	870	834	90	88	16
TMTD1100-B01	1100	1110	975	940	92	98	20
TMTD1100-B02	1100	1110	975	940	92	110	20
TMTD1200-B01	1195	1208	1076	1038	92	118	30
TMTD1200-B02	1195	1208	1076	1038	94	120	35

Casting Turntable-D




Item No.	A	B	E	F	H	Weight	Capacity
	mm	mm	mm	mm	mm	Kg	
TMTS400-D01	400	342	292	230	45	12	1.5
TMTS500-D01	500	437	379	310	52	25	2
TMTS650-D01	650	587	523	465	52	32	3
TMTS750-D01	750	687	620	565	52	36	3.2
TMTS850-D01	850	787	723	665	52	41	3.5
TMTS950-D01	950	888	820	752	56	45	4
TMTS950-D02	952	885	821	750	60	48	6
TMTS1050-D01	1050	987	923	865	52	53	7
TMTS1100-D01	1102	1027	923	854	56	61	8

Casting Turntable-H




Item No.	A	B	E	F	H	Weight (Kg)	Capacity (T)
	mm	mm	mm	mm	mm	Kg	
TMTD1050-H01	1050	1046	937	943	97	100	15

Forging Turntable Light-ZF




ItemNo.	A	B	C	D	S	H	Weight	Capacity
	mm	mm	mm	mm	mm	mm	Kg	(T)
TMTS400-ZF02	400	328	292	230	8	55	12	1.5
TMTS500-ZF02	500	428	392	320	8	55	17	3.5
TMTS650-ZF02	650	578	542	470	8	55	23	4
TMTS750-ZF02	750	678	642	570	8	55	28	4.3
TMTS850-ZF02	850	778	742	670	8	55	32	4.5
TMTS1050-ZF02	1050	976	940	870	8	55	38	5
TMTS1102-ZF02	1102	1027	951	890	8	60	45	5

Forging Turntable Light-AF




ItemNo.	A	B	C	D	S	H	Weight	Capacity
	mm	mm	mm	mm	mm	mm	Kg	(T)
TMTS400-AF01	400	400	320	300	16	55	12	2.5
TMTS500-AF01	500	500	420	400	16	55	17	2.9
TMTS600-AF01	600	600	516	496	16	65	20	3.3
TMTS700-AF01	700	700	620	600	16	65	25	3.5
TMTS800-AF01	800	800	718	698	16	65	28	3.8
TMTS900-AF01	900	900	820	800	16	65	34	4.3
TMTS1000-AF01	1000	1000	920	900	16	65	37	4.8
TMTS1050-AF01	1050	1050	970	950	16	65	40	4.9
TMTS1100-AF01	1100	1105	1005	985	16	65	52	5
TMTS1000-AF02	1010	1015	916	890	16	80	47	4.8
TMTS1000-AF03	1000	1008	889	869	16	90	51	4.8
TMTS1100-AF02	1100	1100	980	960	16	90	56	5

Forging Turntable Double-BF




ItemNo.	A	B	C	D	S	H	Weight	Capacity
	mm	mm	mm	mm	mm	mm	Kg	(T)
TMTD800-BF02	800	800	682	650	16	90	57	28
TMTD850-BF02	850	850	732	700	16	90	61	29
TMTD900-BF02	900	900	782	750	16	90	65	30
TMTD950-BF02	950	950	832	800	16	90	70	31
TMTD1000-BF02	1000	1000	882	850	16	90	75	32
TMTD1050-BF02	1050	1050	932	900	16	90	80	33
TMTD1100-BF02	1100	1100	982	950	16	90	85	34
TMTD1200-BF03	1200	1200	1032	1050	16	90	92	35

Oil Lubricated Axle



Item No.	Capacity (T)	Track (mm)	Axle Beam (mm)	Brake Spec.(mm)	Wheel Fixing (mm)	Wheel Rim	Total Length (mm)	Weight (Kg)	Bearing
					D1xD2				Inner/Outer
TMAD11-AF01D	11	1816(71.5°)	O127x 12	420X180	10×M22× Φ 285.75× Φ 221	8.25x22.5	2106	301	HM218248/10 HM212049/11
TMAD13-AF01D	13	1816(71.5°)	O127x 19	420X180	10×M22× Φ 285.75× Φ 221	8.25x22.5	2106	310	HM218248/10 HM212049/11
TMAD11-AF02D	11	1968(77.5°)	O127x12	420X180	10×M22× Φ 285.75× Φ 221	8.25x22.5	2258	320	HM218248/10 HM212049/11
TMAD13-AF02D	13	1968(77.5°)	O127x19	420X180	10×M22× Φ 285.75× Φ 221	8.25x22.5	2258	340	HM518445/10 HM518445/10

American Drum Series Axle



Item No.	Capacity (T)	Track (mm)	Axle Beam (mm)	Center Distance Of Chamber (mm)	Brake Spec. (mm)	Wheel Fixing (mm)	Wheel Rim	Total Length (mm)	Weight (Kg)	Bearing
		L2		L3		D1xD2		L1		Inner/Outer
TMAD11-A01	11	1820	O127/□127	362	S 420×180	10×M22×F 285.75×F 220	8.25X22.5	2160	358	HM518445/10
TMAD13-A01	13	1840	O127/□127/ □150	390	S 420×180	10×M22×F 287.75×F 220	8.25X22.5	2180	360	HM518445/10
TMAD16-A01	16	1850	O127/□150	354	S 420×220	10×M22×F 335×F 281	8.25X22.5	2205	402	HM518445/10
TMAD20-A01	20	1850	□150	345	S 420×220	10×M22×F 335×F 281	8.25X22.5	2250	448	32222 HM518445/10
TMAD13-B01	13	1922	O127	342	S 420×203	10×M22×F 335×F 281	8.25X22.5	2196	400	32218 32218

American Drum Series Accessories



TMAB10-AF01.1N



TMAD10-AF01.1N



TMAB10-AF01.01P



TMAD10-AF01.01P



2023



3600A



95151B



R801074



65176



4707Q



4515Q



TMABS-01



TMAD10-BC01



TMAD10-BC02



**HM218248/10
HM212049/11**



**HM518445/10
HM518445/10**



**N:307-0743
P:307-0723**



TMAN-01N



TMAN-01P




343-4009




340-4195

Electromagnetic Brake Axle




Item No.	Capacity	Track	Axle Beam	Wheel Fixing
	(T)	(mm)	(mm)	(mm)
TMNL050-FW01	1	1700	○40/□40	5xM12xΦ 114.3xΦ 64
TMNL075-FW01	1.5	1730	○45/□45	6xM12xΦ 139.7xΦ 64
TMNL100-FW01	2	1730	○50/□50	6xM12xΦ 139.7xΦ 108
TMNL150-FW01	3	1730	○60/□60	6xM12xΦ 139.7xΦ 108

Mechanical Disc Brake Axle




Item No.	Capacity	Track	Axle Beam	Wheel Fixing
	(T)	(mm)	(mm)	(mm)
TMDB-PS01	1	1700	○40/□40	5xM12xΦ 114.3xΦ 61
TMDB-PS02	1.5	1730	○45/□45	5xM12xΦ 114.3xΦ 61
TMDB-PS03	2	1730	○50/□50	5xM12xΦ 139.7xΦ 108
TMDB-PS04	3	1730	○60/□60	6xM12xΦ 139.7xΦ 108

No Brake Axle




Item No.	Capacity	Track	Axle Beam	Wheel Fixing
	(T)	(mm)	(mm)	(mm)
TMAG-W01	1	1700	○40/□40	5xM12xΦ 114.3xΦ 64
TMAG-W02	1.5	1730	○45/□45	5xM12xΦ 139.7xΦ 64
TMAG-W03	2	1730	○50/□50	5xM12xΦ 139.7xΦ 108
TMAG-W04	3	1730	○60/□60	6xM12xΦ 139.7xΦ 108

Torsion Axle




Item No.	Capacity	Track	Axle Beam	Wheel Fixing
	(T)	(mm)	(mm)	(mm)
TMTA-D01	0.75	200/2000	□ 60	5xM12xΦ 114.3xΦ 60
TMTA-D02	1	200/2000	□ 70	5xM12xΦ 114.3xΦ 64
TMTA-D03	1.5	200/2000	□ 80	6xM12xΦ 139.7xΦ 64
TMTA-D04	2	200/2000	□ 90	6xM12xΦ 139.7xΦ 108




Item No.	Capacity	Track	Axle Beam	Wheel Fixing
	(T)	(mm)	(mm)	(mm)
TMTA-W01	0.5	200/1700	□ 50	5xM12xΦ 114.3xΦ 60
TMTA-W02	0.75	200/1700	□ 60	5xM12xΦ 114.3xΦ 60
TMTA-W03	1	200/1700	□ 70	5xM12xΦ 114.3xΦ 64
TMTA-W04	1.5	200/1700	□ 80	6xM12xΦ 139.7xΦ 64
TMTA-W05	2	200/1700	□ 90	6xM12xΦ 139.7xΦ 108

German Drum Series Axle



Item No.	Capacity (T)	Track (mm)	Axle Beam (mm)	Center Distance Of Chamber (mm)	Brake Spec. (mm)	Wheel Fixing (mm)	Wheel Rim	Total Length (mm)	Weight (Kg)	Bearing
		L2		L3		D1xD2		L1		Inner/Outer
TMAD10-E01	10	1840	□150	421	S 420×180	10×M22×Φ 335×Φ 281	8.25×22.5	2160	360	33118/33213
TMAD12-E01	12	1840	□150	421	S 420×180	10×M22×F 335×F 281	8.25×22.5	2172	360	33118/33213
TMAD14-E01	14	1840	□150	429	S 420×200	10×M22×Φ 335×Φ 281	8.25×22.5	2245	420	32219/33215
TMAD16-E01	16	1840	□150	243	S 420×200	10×M22×Φ 335×Φ 281	8.25×22.5	2245	460	32222/32314
TMAD 18-E01	18	1840	□150	263	S 420×220	10×M22×Φ 225×Φ 281	8.25×22.5	2245	540	32222/32314

Disc Brake Axle



Item No.	Capacity (T)	Track (mm)	Axle Beam (mm)	Brake Spec.(mm)	Wheel Fixing (mm)	Wheel Rim	Total Length (mm)	Weight (Kg)	Bearing
					D1xD2				Inner/Outer
TMAD11-A01D	11	1840	○127/□150	430×45	10×M22×Φ 285.75×Φ 221	8.25×22.5	2160	358	HM518445/10 HM518445/10
TMAD11-A01D	11	1840	○127/□150	430×45	10×M22×Φ 335×Φ 281	8.25×22.5	2180	360	HM518445/10 HM518445/10
TMAD13-A01D	13	1840	○127/□150	430×45	10×M22×Φ 285.75×Φ 221	8.25×22.5	2180	380	HM518445/10 HM518445/10
TMAD13-A01D	13	1840	○127/□150	430×45	10×M22×Φ 335×Φ 281	8.25×22.5	2185	382	HM518445/10 HM518445/10

Wheel Rim



8.25X22.5-2



8.25X24.5-2



Demountable



9.00X22.5-10



8.25X22.5-10



7.5-20-5



T-8.25X22.5-7




R-8.25X22.5-10




R-9.00X22.5-10

Tube Wheel Rim



SIZE	Bolt			P.C.D	C.B.D	Offset	Disc Thick	Mounting tyre
	No.	Dia.	Type	(mm)	(mm)	(mm)	(mm)	
A-B	N	D	T	P.C.D	C	E	F	
5.50F-15	5	29	SR22	203.2	146	115	8	7.00-15
5.50F-15	6	25.5	SR22	184.15	133	30	6	7.00-15
5.50F-16	5	32	SR22	208	150	125	10	7.00-16
5.50F-16	5	29	SR22	203.2	146	120	10	7.00-16
5.50F-16	6	20.5	SR22	190	140	108	8	7.00-16
6.00G-16	5	32	SR22	203.2	146	127	8	7.50-16
6.00G-16	6	32.5	SR22	222.25	164	135	12	7.50-16
6.00G-16	6	32	SR22	222.25	163	135	8	7.50-16
6.50-16	6	20.5	SR22	190	140.6	82	8	8.25-16
6.50-16	6	32.5	SR22	222.25	146	135	10	8.25-16
6.50-16	6	32.5	SR22	222.25	163	135	12	8.25-16
6.50-20	0	0	0	222.25	163	145	14	8.25-20
6.50-20	8	26	SR22	222.25	163	145	14	8.25-20
6.50-20	8	32	SR22	275	214	142.5	14	8.25-20
7.00T-20	8	26	SR22	275	214	162	14	9.00-20
7.00T-20	10	26	ISO	335	281	162	12	9.00-20
7.00T-20	10	27	SR18	335	281	162	14	9.00-20
7.00T-20	8	26	SR22	275	220	148	14	9.00-20
7.50V-20	8	26	SR22	275	214	165	14	10.00-20
7.50V-20	8	32	SR22	275	214	160	14	10.00-20
7.50V-20	8	32.5	SR22	285	222	165	14	10.00-20
7.50V-20	10	26	ISO	285.75	221	165	14	10.00-20
7.50V-20	10	32	SR22	285.75	222	165	12	10.00-20
7.50V-20	10	26	ISO	335	281	165	14	10.00-20
8.00V-20	10	26	ISO	285.75	220	172	14	11.00-20
8.00V-20	10	26	ISO	335	281	172	14	11.00-20
8.00V-20	10	27	SR18	335	281	175	12	11.00-20
8.00V-20	8	32.5	SR22	285	222	175	14	11.00-20
8.00V-20	10	32	SR22	285.75	222	174.5	12	11.00-20
8.5-20	10	26	1x45	285.75	220	175	14	12.00-20
8.5-20	10	32	1x45	335	281	175	14	12.00-20
8.5-20	10	32.5	SR22	285.75	222	175	12	12.00-20
8.5-20	10	32	SR22	285.75	222	175	16	12.00-20
9.00-20	10	26	SR22	335	281	185	16	12.00-20
8.5-24	10	26	1X45	335	281	180	14	12.00-24
8.5-24	10	26	ISO	335	281	180	14	12.00-24
8.5-24	10	27	SR18	335	281	180	14	12.00-24
8.5-24	10	32.5	SR22	285.75	222	174	14	12.00-24

Tubeless Wheel Rim



SIZE AXB	Bolt			P.C.D. (mm)	C.B.D (mm)	Offset (mm)	Disc Thick (mm)	Mounting tyre
	No.	Dia.	Type	P.C.D	C	E	F	
6.00X17.5	6	32	SR22	222.25	164	118	10	215/75R17.5
6.00X17.5	10	32	SR22	224	171	121	12	8R17.5
6.75X17.5	6	32	SR22	222.25	164	140	10	9R17.5
6.75X17.5	10	26	ISO	225	176	135	10	9R17.5
6.75X17.5	8	26	0.5X45	275	221	139	12	9R17.5
6.75X19.5	6	32	SR22	222.25	164	135	10	9R17.5
6.75X19.5	8	32	SR22	275	214	139	12	9R17.5
6.75X19.5	6	32.5	SR22	222.25	164	157	12	9R17.5
6.75X19.5	8	26	ISO	275	221	139	12	9R17.5
7.5X19.5	8	26	1X45	275	164	135	12	10R17.5
7.5X19.5	8	26	1X45	275	221	150	12	10R17.5
6.75X22.5	6	32	SR22	222.25	164	139	12	9R22.5
6.75X22.5	8	32	SR22	275	214	153	12	9R22.5
6.75X22.5	10	26	ISO	285.75	220	152	12	9R22.5
7.50X22.5	8	32	SR22	275	214	163	12	10R22.5
7.50X22.5	10	26	ISO	335	281	165	14	10R22.5
7.50X22.5	10	32	SR22	285.75	222	163	12	10R22.5
7.50X22.5	8	32	SR22	275	214	166	14	10R22.5
7.50X22.5	10	26	ISO	335	281	165	14	10R22.5
8.25X22.5	10	26	ISO	335	281	169	14	11R22.5
8.25X22.5	10	26	ISO	285.75	220	169	14	11R22.5
8.25X22.5	8	32	SR22	285	221	169	14	11R22.5
8.25X24.5	10	26	ISO	335	281	168	14	11R24.5
8.25X24.5	10	32	SR22	285.75	222	168	12	11R24.5
9.00X22.5	8	32	SR22	285	221	175	14	12R22.5
9.00X22.5	10	32	SR22	285.75	222	175	14	12R22.5
9.00X22.5	10	26	ISO	335	281	175	14	12R22.5
9.75X22.5	10	32	SR22	285.75	222	175	14	12R22.5
9.75X22.5	10	26	ISO	335	281	175	14	12R22.5
11.75X22.5	8	32	SR22	285	221	0	14	385/65R22.5
11.75X22.5	10	26	ISO	335	281	60	12	385/65R22.5
13.00X22.5	10	32	ISO	285.75	221	0	14	445/65R22.5
14.00X22.5	10	26	ISO	335	281	60	14	445/65R22.5
14.00X22.5	10	27	SR18	335	281	0	14	445/65R22.5
16.00X22.5	10	26	ISO	335	281	60	14	445/65R22.5
16.00X22.5	10	27	SR18	335	281	0	14	445/65R22.5
8.25X22.5	Demountable					120		11R22.5
8.25X24.5	Demountable					120		11R24.5
9.00X22.5	Demountable					120		12R22.5
8.25X22.5 Aluminum	10	26	1.5X45	285.75	220	167	22.5	11R22.5
8.25X22.5 Aluminum	10	26.5	1.5X45	335	281	167	24.5	11R22.5
8.25X24.5 Aluminum	10	26	1.5X45	285.75	220	168	24	11R24.5
9.00X22.5 Aluminum	10	26.5	1.5X45	335	281	176	24	12R22.5
11.75X22.5 Aluminum	10	25	1.5X45	285.75	220	145	25	385/65R22.5



SIZE	P.C.D.	C.B.D.	ET	CAPACITY	SIZE	P.C.D.	C.B.D.	ET	CAPACITY
	(mm)	(mm)	(mm)	(mm)		(mm)	(mm)	(mm)	LBS
12×4.5J	5/114.3	75	0	1100	15×7J	5/114.3	84	15~-15	2600
	4/101.6	71	0	1100		5/139.7	108	15~-15	2600
13×4.5J	4/100	73	0~-10	1100		5/139.7	110	15~-15	2600
	4/101.6	71.5	0~-10	1100		5/120.65	84	15~-15	2600
	4/100	67	0~-10	1100		5/127	84	15~-15	2600
	5/114.3	73	0~-10	1100		6/139.7	108	15~-15	2600
	5/114.3	75	0~-10	1480		6/139.7	110.5	15~-15	2600
	5/108	75	0~-10	1480	15×8J	5/114.3	75	15~-25	1650
13×5.5J	4/100	67	0~-10	1480		5/114.3	84	15~-25	1650
	4/100	73	0~-10	1480		5/139.7	108	15~-25	1650
	4/101.6	71.5	0~-10	1480		5/139.7	110	15~-25	1650
	4/114.3	73	0~-10	1480		5/120.65	84	15~-25	1650
	5/114.3	81.5	0~-10	1480		5/127	75	15~-25	1650
	5/108	75	0~-10	1480		5/127.84	75	15~-25	1650
14×6J	4/114.3	84	18~-10	1870		6/139.7	108	15~-25	1650
	4/139.7	108.7	18~-10	1870	16×6J	6/139.7	110	15~-25	1650
	5/108	74	0~-25	1870		6/139.7	108.7	0	3200
	6/139.7	108.7	18~-10	1870		6/165.1	130.8	0	3200
	6/139.7	110	18~-10	1870		6/165.1	130.8	0	3200
	5/114.3	84	18~-10	1870	16×7J	6/139.7	108.7	15~-25	3200
14×7J	4/114.3	84	18~-10	1870		6/139.7	110.1	0~-28	3200
	6/139.7	108.7	18~-10	1870		6/139.7	106.2etr	0~30	3200
	6/139.7	110	18~-10	1870		5/139.7	18.7	15~-25	3200
	5/120.65	84	18~-10	1870		8/165.1	130.8	15~-25	3200
	5/114.3	84	18~-10	1870		5/165.1	125	0~8	3200
15×5J	5/114.3	84	10~-10	2050	16×8J	5/150	112	0~5	3200
	5/127	84	10~-10	2050		6/139.7	108.7	15~-25	1260
15×6J	5/114.3	84	10~-10	2150		6/139.7	110.1	0~-28	1260
	5/127	84	10~-10	2150		5/139.7	108.7	15~-25	1260
	5/139.7	108.8	10~-10	2150		8/165.1	130.8	15~-25	1260
	6/139.7	108	10~-10	2150		5/150	112	0~5	1260
	6/139.7	110	10~-10	2150		5/165.1	125	0~8	1260



TYPE	FACTORY NO.	International Code	Size	Thickness (mm)	PCS/20FT	PCS/PALLET
Corrugated Spacer	1	SB4015C	15X4	2.5	2156	462
	2	SB4415C	15X4½	2.5	1904	408
	3	SB4020C	20X4	2.5	1370	274
	4	SB4220C	20X4¼	2.5	1290	258
	5	SB4420C	20X4½	2.5	1210	242
	6	SB4022C	22X4	2.5	1200	240
	7	SB4422C	22X4½	2.5	1130	226
	8	SB4024C	24X4	2.75	765	170
	9	SB4424C	24X4½	2.75	711	158
Flat Spacer	10	SB4020K	20X4	3.5	1370	274
	11	SB4220K	20X4¼	3.5	1290	258
	12	SB4420K	20X4½	3.5	1210	242
	13	SB4022K	22X4	3.5	1200	240
	14	SB4222K	22X4¼	3.5	1130	226
	15	SB4422K	22X4½	3.5	1130	226

Wheel Spacer




NO	PCD	Outer Diameter	Inner Diameter
1	4x100/4x108	150	67.1
2	4x108/4x100	150	74.1
3	4x114.3/4x100	150	78.1
4	4x114.3/4x114.3	150	78.1
5	5x100/5x114.3	150	67.1
6	5x108/5x114.3	150	67.1
7	5x114.3/5x127	164	82.5
8	5x120.65/5x114.3	164	87.1
9	5x127/5x114.3	164	87.1
10	5x127/5x127	164	87.1
11	6x114.3/6x114.3	150	64
12	5x139.7/5x139.7	176	108
13	6x139.7/6x135	176	108

Fifth Wheel



Item No.	Height	Imposed load	D-Value	Weight	King Ping Size	Remarks
	mm	kg	kn	kg		
TMFF-50	173	20,000	152	117	2"/50	forging
TMFF-90	185	22,000	260	135	3.5"/90	forging
TMFC-50	185	20,000	152	180	2"/50	casting
TMFC-90	195	36,000	260	240	3.5"/90	casting



Item No.	Height	Imposed load	D-Value	Weight	King Ping Size	Remarks
	mm	kg	kn	kg		
TMHC-50	215	34,000	165	165	2"/50	casting




50# Repair kit




90# Repair kit

Bolted




Car Spring




BMW	BENZ	TOYOTA	HONDA	MAZDA
31331133336	1243212004	48131-33750	51401-SL3-N01	H269-28-011
33531132248	1243241104	48131-33050	52401-SL3-Z02	HF05-34-011
31331090763	1163240904	48231-33050	51401-S03-J01	H381-28-011
33531138284	1163240804	48131-87Z01A	52441-S04-N01	H414-34-011
33531131805	2023210104	48131-87Z17	51401-S10-A01	H017-28-011
33531138720	2023241104	48131-87Z25	52441-S10-A01	GJ21-28-011
31331133645	1403212104	48231-C7210	52441-S9A-014	G030-34-011A
31331091519	1403241304	48131-87Z21	51401-S9A-204	GJ6A-34-011G
33531091547	1263241604	48231-87Z08	52441-SX0-A01	GJ23-28-011H
33531093634	1263211704	48231-87Z01C	51401-S84-Y02	GJ23-28-011A
31331093070	1243212104	48231-87Z06	52441-S84-A22	GJ23-28-012A
31331091901	319 823	48131-OP010	51401-SM4-Y02	B458-34-011A
90512020	319 854	48231-OP010	52401-SM4-Y11	B458-28-011A

Compression Spring



Compression Spring					
Model	W.DIA.	Coils	Model	W.DIA.	Coils
TMCS 28x7.25	28	7.25	TMCS 24x8.4	24	8.4
TMCS 25x7.25	25	7.25	TMCS 22x7.95	22	7.95
TMCS 19x7.5	19	7.5	TMCS 14.27x7.15	14.27	7.15
TMCS 16.6x9.8	16.6	9.8	TMCS 12.7x10	12.7	10
TMCS 21.5x8.2	21.5	8.2	TMCS 35x7.25	35	7.25
TMCS 15.8x19.5	15.8	19.5	TMCS 19x7.2	19	7.2
TMCS 27x7.5	27	7.5	TMCS 25x8	25	8
TMCS 25.2x7.2	25.2	7.2	TMCS 15.88x8.9	15.88	8.9
TMCS 23x8.1	23	8.1	TMCS 19x9	19	9

Torsion Spring



Extension Spring



Spring Tines



Hesston



Star




New Holland



Class

Brake Drum



Item No.	C	D	Φ -N
3600A	223	285.75	10-25.4
3602B	286	335	10-23.5
3602C	223	285.75	10-24.5
3807A	223	285.75	10-25.4
3710 X	223	285.75	10-33.27
3721 X	223	285.75	10-25.4
3136	285.75	323.85	10-16.5
3141	228.6	285.75	10-21
3197	279.4	323.85	6-16.5
67518	239.85	279.4	5-16.6/20.5

Item No.	C	D	Φ -N
68730	241.3	285.75	10-26
68981	285.75	323.85	5/6-19.8
68897F	279.4	323.85	10-16.7
62200I	239.7	285.75	10-20.5
65548I	220	285.75	10-32
66893I	217	285.75	10-20.6
66895B	228.6	285.75	10-20.6
2546C	241.3	285.75	6-16.5/5-20.5
2983C	239.7	279.4	5-16.5/20
8656	279.4	323.85	10-16.8

Brake Hub



2023



2323



2343



2651



3601B



3601H



196317A



ROR16T



BPW12T



BPW14T



FUWA13T



FUWA16T

Brake Shoe



Brake Shoe




Brake shoe With Lining



Model	OEM	Model	OEM
4515E	150.25.412	4644	142.46448
4515Q	152.05.533	BPW 180(OLD)	05.091.26.64.2
4515XEM	R4515F3	BPW 200(OLD)	05.091.27.54.2
4551E	152.00.007	BPW 220(OLD)	05.091.28.11.2
4551Q	152.05.191	BPW 360(OLD)	05.091.19.07.0
4524Q	A3222 E 1383	BPW 3020 (OLD)	05.091.14.46.0
4551	FUWA4551	BPW180(NEW)	05.091.46.17.0
4514	A3222 K 1831	BPW200(NEW)	05.091.27.83.0
4702	MERITOR A3222M2223	BPW220(NEW)	05.091.28.29.0
4707	152.24.724	BPW360(NEW)	05.091.19.22.1
4709	R 4709G2 OR EATON 819707	BPW3020(NEW)	05.091.14.80.0
4311E	EATON 805442/805460	SAF 180(OLD)	3.054.0052.00
1308Q	MERITOR A3222F1982	SAF 200(OLD)	3.054.0053.00
1308E	A3222Q1837/EATON 1005840	SAF 180(NEW)	2.056.0120.00
4516	142.451582	SAF 200(NEW)	2.056.0121.00

Brake Lining




Description	Model	Size
BRAKE LINING	4515Q	189.09/194.65
BRAKE LINING	4707	194.6/189.1
BRAKE LINING	4709	196.1
BRAKE LINING	1308	393.7
BRAKE LINING	1443	393.7
BRAKE LINING	4591	134
BRAKE LINING	4644	189.09/194.65
BRAKE LINING	4516	189.09/194.65
BRAKE LINING	4710	177.1/171.2

Description	Model	Size
BRAKE LINING	4711	194.6/189.1
BRAKE LINING	4715	194.6/189.1
BRAKE LINING	4718	194.6/189.1
BRAKE LINING	4719	196.1
BRAKE LINING	19032	203.9
BRAKE LINING	19094	178
BRAKE LINING	19938	178
BRAKE LINING	19939	178
BRAKE LINING	19940	178

Brake Shoe Kits



4515Q



4707Q



4709A



4702A



4515




BPW



9644



1308Q



1443

CAM Shaft Kits



FUWA




BPW 12T



KIC

S-CAM Shaft



Model	OEM	Size
Meritor Series	E-5507 E-5507	φ 41.1x 491 L209.56-L900
Meritor Series	E-2441B E-2442B	φ 41.1x 491 L209.56-L900
Meritor Series	E-1424 E-1425	φ 38x 570 L210-L900
FUWA Series	E-1563 E-1564	φ 41.1x 461
FUWA Series	E-2099 E-2100	φ 41.1x 588
BPW Series	05.097.05.23.1 05.097.05.24.1	φ 42x 641 L404-L870
BPW Series	05.097.05.23.1 05.097.05.24.1	φ 42x 637 L401-L867


Model	OEM	Size
DANA Series	E-3854 E-3855	φ 38x 570
SAF Series	A5702-95 A5705-95	φ 58x 719
SAF Series	1262 0269 02 1262 0270 02	φ 38x 668.4
SAF Series	A5702 A5705	φ 46x 719
FOR Series	A1872 A1873	φ 42x 570
YORK Series	504742/01	φ 38x 570 L210-L900
YORK Series	504723/01	φ 38x 570

King Pin kits




Dimension	OEM NO.	Dimension	OEM NO.	Dimension	OEM NO.
KP129	40025-90228	KP229	5-87830-079-0	KP426	04431-25010
KP139	40025-90826	KP230	5-87830-080-0	KP427	04431-36040
KP134	40025-90427	KP231	5-87830-536-0	KP431	04431-36051
KP140	40025-90927	KP232	5-87830-537-0	KP433	04431-36041
KP144	40025-91028	KP225	1-87830221-0	KP512	14501-21401
KP133	40025-Z5128	KP315	9953-6603-04	KP519	MB025124


Slack Adjuster




OEM No.	Spline Teth	L1	Bush DIA
KN44071	28	127.1	12.7




OEM No.	Spline Teeth	L1	Bush DIA
KN44051	28	127.1	12.7




OEM NO.	Spline teeth	L1	Bush DIA
KN44061	28	139.7	12.7




OEM No.	Spline Teth	L1	Bush DIA
KN44042	37	127	12.7




OEM NO.	Spline teeth	L1	Bush DIA
KN55001	24	139.7	12.7




OEM NO.	Spline teeth	L1	Bush DIA
KN47001	10	127	12.7




OEM NO.	Spline teeth	L1	Bush DIA
517452610	10	120	14




OEM NO.	Spline teeth	L1	Bush DIA
0517465130	10	120	14



OEM NO.	Spline teeth	L1	Bush DIA
TR06120	10	120	14



OEM NO.	Spline teeth	L1	Bush DIA
TR26145	26	145	14




OEM NO.	Spline teeth	L1	Bush DIA
TR2614	26	145	14




OEM NO.	Spline teeth	L1	Bush DIA
TR10139	10	139.7	12.7


Slack Adjuster




OEM NO.	Spline teeth	L1	Hole Dia
TR801042	10	152.4	5/8




OEM NO.	Spline teeth	L1	Hole Dia
TR801073	28	139.5	5/8




OEM NO.	Spline teeth	L1	Hole Dia
TR801074	28	152.4	5/8




OEM NO.	Spline teeth	L1	Hole Dia
65176	28	152.4	5/8




OEM NO.	Spline teeth	L1	Hole Dia
65172	10	152.4	5/8




OEM NO.	Spline teeth	L1	Hole Dia
TR1140	28	139.5	5/8



OEM NO.	Spline teeth	L1	Hole Dia
TR1141	28	152.4	5/8



OEM NO.	Spline teeth	L1	Hole Dia
TR1172	28	139.5	5/8




OEM NO.	Spline teeth	L1	Hole Dia
TR1173	10	152.4	5/8



OEM NO.	Spline teeth	L1	Bush DIA
86 10868	10	140	14



OEM NO.	Spline teeth	L1	Bush DIA
86 79600	10	200	12.7



OEM NO.	Spline teeth	L1	Bush DIA
86 70764	19	180	14

Brake Chamber



Type	T16
Tinmy No.	TMSA16
Mounting Bolt	7/16-14UNC
Mounting Bolt Center	76
Input Threads	NPT3/8
Stroke	65
Push Road Thread	1/2-20UNF
Push Road Length	245



Type	T20
Tinmy No.	TMSA20
Mounting Bolt	5/8-11UNC
Mounting Bolt Center	120.7
Input Threads	NPT3/8
Stroke	64
Push Road Thread	5/8-18UNF
Push Road Length	275



Type	T24
Tinmy No.	TMSA24
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	M16X1.5
Push Road Length	285



Type	T30
Tinmy No.	TMSA30
Mounting Bolt	5/8-11UNC
Mounting Bolt Center	120.7
Input Threads	NPT3/8
Stroke	64
Push Road Thread	5/8-18UNF
Push Road Length	285



Type	T36
Tinmy No.	TMSA36
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	M16X1.5
Push Road Length	285



Type	T16C
Tinmy No.	TMSA16C
Mounting Bolt	7/16-14UNC
Mounting Bolt Center	76
Input Threads	NPT3/8
Stroke	64
Push Road Thread	-
Push Road Length	105



Type	T1624DD
Tinmy No.	TMDA1624DD
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	M16X1.5
Push Road Length	275



Type	T2424DD
Tinmy No.	TMDA2424DD
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	M16X1.5
Push Road Length	285



Type	T3030CLS
Tinmy No.	TM3030CLS
Mounting Bolt	2x5/8-11 UNC
Mounting Bolt Center	120.7
Input Threads	2xNPT3/8
Stroke	75
Push Road Thread	5/8-18UNF
Push Road Length	320



Type	TR3030C-WC
Tinmy No.	TM3030C-WC
Mounting Bolt	2x5/8-11 UNC
Mounting Bolt Center	120.7
Input Threads	2xNPT3/8
Stroke	64
Push Road Thread	5/8-18UNF
Push Road Length	123



Type	T2430DD
Tinmy No.	TMDA2430DD
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	M16X1.5
Push Road Length	285



Type	T3030DD
Tinmy No.	TMDA3030DD
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	M16X1.5
Push Road Length	285



Type	T3030DD-1
Tinmy No.	TMDA3030DD-1
Mounting Bolt	5/8-11UNC
Mounting Bolt Center	120.7
Input Threads	NPT3/8
Stroke	64
Push Road Thread	5/8-18UNF
Push Road Length	285



Type	T3030DDS
Tinmy No.	TMDA3030DDS
Mounting Bolt	5/8-11UNC
Mounting Bolt Center	120.7
Input Threads	NPT3/8
Stroke	64
Push Road Thread	5/8-18UNF
Push Road Length	285



Type	T3030DDS-L
Tinmy No.	TMDA3030DDS-L
Mounting Bolt	5/8-11UNC
Mounting Bolt Center	120.7
Input Threads	NPT3/8
Stroke	76
Push Road Thread	5/8-18UNF
Push Road Length	285



Type	T1216DP
Tinmy No.	TMDA1216DP
Mounting Bolt	M16X1.5
Mounting Bolt Center	85
Input Threads	M16X1.5
Stroke	57
Push Road Thread	M16X1.5
Push Road Length	268



Type	T1616DP
Tinmy No.	TMDA1616DP
Mounting Bolt	5/8-11UNC
Mounting Bolt Center	120.7
Input Threads	NPT3/8
Stroke	57
Push Road Thread	5/8-18UNF
Push Road Length	285



Type	T1624DP
Tinmy No.	TMDA1624DP
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	57
Push Road Thread	M16X1.5
Push Road Length	285



Type	T2424DP
Tinmy No.	TMDA2424DP
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	M16X1.5
Push Road Length	268



Type	T2430DP
Tinmy No.	TMDA2430DP
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	M16X1.5
Push Road Length	285



Type	T3030DP
Tinmy No.	TMDA3030DP
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	M16X1.5
Push Road Length	268



Type	T3030DP-1
Tinmy No.	TMDA3030DP-1
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	M16X1.5
Push Road Length	125



Type	T1616C
Tinmy No.	TMDA1616C
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	57
Push Road Thread	-
Push Road Length	105



Type	T1624C
Tinmy No.	TMDA1624C
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	57
Push Road Thread	-
Push Road Length	105



Type	T2424C
Tinmy No.	TMDA2424C
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	-
Push Road Length	105



Type	T2430C
Tinmy No.	TMDA2430C
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	-
Push Road Length	105



Type	T3030C
Tinmy No.	TMDA3030C
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	-
Push Road Length	105



Type	T2414C
Tinmy No.	TMDA2414C
Mounting Bolt	M16X1.5
Mounting Bolt Center	120.7
Input Threads	M16X1.5
Stroke	64
Push Road Thread	-
Push Road Length	105



Type	T1624DP-C
Tinmy No.	TMDD1624DP-C
Mounting Bolt	-
Mounting Bolt Center	-
Input Threads	M22X1.5
Stroke	-
Push Road Thread	-
Push Road Length	105



Type	T2424DP-C
Tinmy No.	TMDD2424DP-C
Mounting Bolt	-
Mounting Bolt Center	-
Input Threads	M16X1.5
Stroke	-
Push Road Thread	-
Push Road Length	105



Tinmy No.	TMHC-T1220
Mounting Size(A)	76.2
Mounting Size(B)	2-M12X1.5
Air Inlet(M)	2-M16X1.5
Stroke	75



Tinmy No.	TMHC-T1625 TMHC-T2025
Mounting Size(A)	120.7
Mounting Size(B)	2-M12X1.5
Air Inlet(M)	2-M16X1.5
Stroke	75



Tinmy No.	TMTR2575
Mounting Size(A)	F 25
Push Road(L)	68
Air Inlet(M)	G3/8-19
Stroke	75



Tinmy No.	TMRS-TC2575
Mounting Size(A)	F 25
Push Road(L)	140
Air Inlet(M)	G3/8-19
Stroke	75



Tinmy No.	TMRS-TD2075
Mounting Size(A)	F 20
Mounting Size(B)	120.7
Push Road(L)	145
Air Inlet(M)	G3/8-19
Stroke	75



Tinmy No.	TMRS-TA3575
Mounting Size(A)	F 35
Push Road(L)	125
Air Inlet(M)	G3/8-19
Stroke	75



Tinmy No.	TMRS-TB2075
Mounting Size(A)	F 20
Push Road(L)	145
Air Inlet(M)	G3/8-19
Stroke	75



Tinmy No.	TMRS-TB3075
Mounting Size(A)	F 30
Push Road(L)	125
Air Inlet(M)	G3/8-19
Stroke	75

Relay Valve



A1



A2



A3



A4



A5

NO.:	TM NO.:	ORIGINAL NO.:	PORTS
A1	TM3518AH	973 001 010 0	1=M22x1.5;2+4=M22x1.5
	TM3518AK	973 001 020 0	1=M22x1.5;2+4=M16x1.5
	TM3518AY	973 001 013 0	1=M22x1.5;2,3,4=M22x1.5
A2	TM3518ZA	973 011 000 0	1+2=M22x1.5;4=M16x1.5
	TM3518ZF	973 011 005 0	1+2=1/2"NPT;4=1/4"NPT
	TM3518ZB-A	973 011 001 0	1+2=M22x1.5VOSS;4=M16x1.5VOSS
A3	TM3518ZH	973 011 004 0	1=M22x1.5;2,4=M16x1.5
A4	TM3518SK01	AC574BYW	1,2=M22x1.5;4=M16x1.5
A5	TM3518ZE	973 011 205 0	1,2=M22x1.5VOSS;4,1,42=M16x1.5VOSS
	TM3518ZE-B	973 011 200 0	1,2=M22x1.5VOSS;4,1,42=M16x1.5VOSS

Relay Emergency Valve



B1



B2



B3



B4



B5

NO.:	TM NO.:	ORIGINAL NO.:	PORTS
B1	TM3527AB	281860 (RE6)	SUP:3/4"NPT,DEL:1/4"NPT,RES:3/8"NPT;EM+SER:1/4"NPT
	TM3527AD	281865 (RE6)	SUP:3/4"NPT,DEL:2-1/4"NPT+2-3/8"NPT,RES:3/8"NPT;EM+SER:1/4"NPT
B2	TM3527FB	110200	SUP:3/4"NPT,DEL:4-3/8"NPT,EME:2-1/4"NPT,SER:1/4"NPT
B3	TM3518KH	4730170070	1,2,4,1,42=M22X1.5
	TM3518KA-A	4730170080	1,2,4,1,42=M22X1.5
B4	TM3518LE-A	KN30100	RES=3/4"NPT,DEL+EM+SER=1/4"NPT
B5	TM3518GB	KN28500	SUP:3/8"NPT,DEL:3/8"NPT,CON:1/4"NPT

Quick Release Valve



C1



C2



C3



C4

NO.:	TM NO.:	ORIGINAL NO.:	PORTS
C1	TM3520AA	4520021070	ALL M22x1.5
C2	TM3516ED	9735000000	ALL M22x1.5
	TM3516EF	9735000140	SUP=M16x1.5,DEL,EXH=3/8"NPT
C3	TM3516LA	229859	ALL 3/8"NPT
	TM3516LC	229860	SUP=1/2"NPT,DEL=3/8"NPT
	TM3516LB	229813	SUP=3/8"NPT,DEL=1/4"NPT
	TM3516LA-A	229844	SUP=1/2"NPT,DEL=1/4"NPT
C4	TM3516SA	41011-90004	SUP=1/2"NPT,DEL=3/8"NPT

Hand Brake Valve



D1



D2



D3



D4

NO.:	TM NO.:	ORIGINAL NO.:	PORTS
D1	TM3526BA	9617230040	1,21=M16x1.5
	TM3526BB	9617230010	1,21=M16x1.5
D2	TM3526NA	9617230190	1,21=M16x1.5
D3	TM3526DX	9617231000	1,21,22=M16x1.5
	TM3526DY	9617231080	1,21,22=M16x1.5
D4	TM3526PA	9617011000	ALL M14x1.5
	TM3526PD	9617011050	ALL M14x1.5

Trailer Control Valve



A1



A2



A3



A4



A5

NO.:	TM NO.:	ORIGINAL NO.:	PORTS
A1	TM3522FA	973 009 300 0	11,12,21,22=M22X1.5 VOSS,43=M16 VOSS
A2	TM3522FB-A	973 009 001 0	11,12,21,22=M22X1.5 VOSS,43=M16 VOSS
	TM3522FB-C	973 009 002 0	ALL PORTS=M16X1.5
A3	TM3522FB	973 009 010 0	ALL PORTS=M16X1.5
A4	TM3522AH	973 020 402 0	ALL PORTS=M16X1.5
	TM3522AZ	973 002 007 0	ALL PORTS=M22X1.5
A5	TM3522BA	973 002 520 0	ALL PORTS=M16X1.5
	TM3522BJ	973 002 501 0	ALL PORTS=M16X1.5
	TM3522BJ-A	973 002 521 0	ALL PORTS=M16X1.5

Foot Brake Valve



A1



A2



A3



A4



A5

NO.:	TM NO.:	ORIGINAL NO.:	PORTS
A1	TM3514DS	461 315 008 0	8-M16X1.5
	TM3514DS-D	461 315 004 0	4-M16X1.5
	TM3514DS-E	461 315 042 0	8-M16X1.5;2-M12X1.5
A2	TM3514HA-A	461 315 014 0	8-M16X1.5
	TM3514HA	MB4629	8-M16X1.5
A3	TM3514DD	461 319 008 0	11,12,21,22=M16X1.5,4=M12X1.5
A4	TM3514EA-A	461 315 248 0	ALL PORTS=M22X1.5 VOSS
A5	TM3514EA	461 315 258 0	ALL PORTS=M22X1.5 VOSS

Foot Brake Valve



B1



B2



B3



B4



B5

NO.:	TM NO.:	ORIGINAL NO.:	PORTS
B1	TM3514EB	461 319 271 0	11+12/21+22=M16X1.5 VOSS,4=M16X1.5 VOSS
B2	TM3514EC	461 315 264 0	ALL PORTS=M22X1.5
B3	TM3514AF	461 307 500 0	ALL PORTS=3/8"NPT
B4	TM3514DV	461 317 008 0	11+12/21+22=M16X1.5
B5	TM3514GA	286171(With Treadle)	11+12/21+22=3/8"NPT



C1



C2



C3



C4



C5

NO.:	TM NO.:	ORIGINAL NO.:	PORTS
C1	TM3514GD-A	286171(E6)	SUP+DLE=3/8"NPT,INSTALLATION:3-UNC5/16-18
C2	TM3514PA-A	277863(E3)	SUP+DLE=1/2"NPT,SUP:1/4"NPT,INSTALLATION:3-UNC5/16-18
C3	TM3514GXA-01	MB4815	11,12,21,22=M22X1.5 VOSS,4=M16X1.5 VOSS
C4	TM3514CA	MB4436	4-M16X1.5
C5	TM3514CB	102 327 500 0	4-M18X1.5



D1




D2



D3



D4



D5

NO.:	TM NO.:	ORIGINAL NO.:	PORTS
D1	TM3514HC	MB4694	5-M22X1.5 VOSS
D2	TM3514HC-A	MB4694B	5-M22X1.5 VOSS
D3	TM3514HD	MB4690	8-M16X1.5,3-M12X1.5
D4	TM3514SA	461 315 180 0	11,12,21,22= φ 12mm
D5	TM3514JA01	286773	SUP=1/2"NPT,DEL=1/4"NPT

Couple Head



Model	REF No	THREAD	COLOUR	NOTE
TM3521DC	V-1011E	1/2"-NPT	RED	EMERGENCY
TM3521DA	V-1011S	1/2"-NPT	BLUE	SERVICE
TM3521DB	V-1011	1/2"-NPT	YELLOW	UNIVERSAL



Model	REF No	THREAD	COLOUR	NOTE
TM3521UR	V-9212	3/8"×1/4"-NPT	RED	EMERGENCY
TM3521UB	V-9211	3/8"-NPT	BLUE	SERVICE



Model	REF No	THREAD	COLOUR	NOTE
TM3521AA	334028011	M22X1.5	RED	EMERGENCY
TM3521AF	334028031	M16X1.5	YELLOW	UNIVERSAL



Model	REF No	THREAD	COLOUR	NOTE
TM3521SR	V-9216	3/8"-NPT	RED	EMERGENCY
TM3521SB	V-9217	3/8"-NPT	BLUE	SERVICE



Model	REF No	THREAD	COLOUR	NOTE
TM3521KP	441242	1/2"-NPT	BLUE	SERVICE
TM3521KR	441243	1/2"-NPT	RED	EMERGENCY



Model	COLOUR	NOTE
TM3521GA-02-R	RED	HEXAGON ALUMINUM GRP 1/2"
TM3521GA-02-B	BLUE	HEXAGON ALUMINUM GRP 1/2"

Hub Cap



343-4009



343-4024



343-4095



343-4075



343-4195



343-4975



YORK



Bogie Cap



TINMY-13T



FUWA-13T



BPW-12T



BPW-14T

Air Brake Coil



Model	TMBH-B
Name	Truck Air Brake Hose
Material	PA11 / PA12
Length	15FT
Red & Yellow & Black Color	



Model	TMBH-C
Name	Truck Air Brake Hose
Material	PA11 / PA12
Length	15FT
Red & Blue Color	



Model	TMBH-D
Name	Truck Air Brake Hose
Material	PA11 / PA12
Length	15FT
Red & Blue Color	



Model	TMBH-E
Name	Truck Air Brake Hose
Material	PA11 / PA12
Length	15FT
Blue & Yellow Color	

Air brake hose assemblies



Description	3/8" I.D. HOSE, 3/8" NPT Fittings, One End Fixed, One End Swivel		3/8" ID HOSE, 3/8" NPT Fittings, Both Ends Swivel		3/8m ID HOSE, 1/4" NPT Fittings, One End Fixed, One End Swivel	
No.	Length	Part No.	Length	Part No.	Length	Part No.
1	18"	11213218	18"	1U1331S	9"	1121319
2	20"	11213220	20"	11213320	12"	11213112
3	22"	11213222	22"	11213322	16"	11213116

Air Hose



Single Layer & Double Layer

Material	Bursting Pressure (MPa/20°C)	Working Pressure (MPa/20°C)	Working Temperature	Color
PA11	5.7 (12*9mm)	3.2 (12*9mm)	-40°C~120°C	RED YELLOW BLUE GREEN BLACK WHITE
PA12	5.7 (12*9mm)	3.2 (12*9mm)	-40°C~120°C	
PA6	5.7 (12*9mm)	3.2 (12*9mm)	-25°C~100°C	
TPEE	3.1 (12*9mm)	1.2 (12*9mm)	-30°C~120°C	
TPU	3.0 (12*9mm)	1.0 (12*9mm)	-15°C~80°C	ALL COLOR AND TRANSPARENT

3 in 1 Hose Kit

Electric Coil



Model	TM501
Name	3 in 1 ABS Air Power Line
Material	Copper
Length	8/10/12/15FT
Red & Blue Hose Green & Yellow Cable	



Model	TM502
Name	4 in 1 Trailer Air Electric Line
Material	Copper
Length	8/10/12/15FT
Red & Blue Hose, Green & Yellow Cable	



Model	TM503
Name	4 in 1 Trailer Air Electric Line
Material	Copper
Length	8/10/12/15FT
Black Hose*2, Green Cable*2	



Model	TM504
Name	2 in 1 Air Power Line
Material	PVC
Length	8/10/12/15FT
Red & Blue Hose	



Model	TM505
Name	2 in 1 Air Power Line
Material	PVC
Length	8/10/12/15FT
Black Hose*2	



Model	TM506
Name	Air Brake Hose Assembly
Material	Rubber
Length	Customized
Black Hose & Galvanizing	

Seven Electric Coil



Model	TMSE-7B
Name	7 Way ABS Coiled Trailer Cable
Material	TPU & Oxygen-free Copper
Length	7x1.5/2.5-15FT
Green Color	



Model	TMSE-7C
Name	7 Way Coiled Trailer Cable
Material	TPU & Oxygen-free Copper
Length	7x0.5/0.7/1-15FT
Black Color	



Model	TMSE-7D
Name	7 Way Cable Copper Wire
Material	Copper Wire
Length	2*10/3*10/7*10AWG
Black Color	



Model	TMSE-7F/TMSE-7E
Name	7 Way Coiled Trailer Cable
Material	TPU & Oxygen-free Copper
Length	7x0.7-15FT/7x0.5-15FT
Black Color	



Model	TMSE-7H
Name	5/7/15 Way Coiled Trailer Cable
Material	TPU & Oxygen-free Copper
Length	7x0.7-15FT
Black Color	



Model	TMSE-7I
Name	7 Way Coiled Trailer Cable
Material	TPU & Oxygen-free Copper
Length	7x0.7-15FT
Black Color	

Plug & Socket

24V 7P Plug & Socket



A1



A2



A3



A4

NO.:	TM NO.:	Material	Contifurations
A1	TM3638C1-S	ALUMINUM	SEVEN-WAY SOCKET
	TM638C1-P	ALUMINUM	SEVEN-WAY PLUG
A2	TM3638C2-S	ALUMINUM	SEVEN-WAY SOCKET
	TM3638C2-P	ALUMINUM	SEVEN-WAY PLUG
A3	TM3638C3-S	ZINC	SEVEN-WAY SOCKET
	TM3638C3-P	ZINC	SEVEN-WAY PLUG
A4	TM3638C4-S	ALUMINUM	SEVEN-WAY SOCKET
	TM3638C4-P	ALUMINUM	SEVEN-WAY PLUG



A5



A6

NO.:	TM NO.:	Material	Contifurations
A5	TM3638C5-S	ALUMINUM	SEVEN-WAY SOCKET
	TM3638C5-P	ALUMINUM	SEVEN-WAY PLUG
A6	TMKA3638C6-S	ALUMINUM	SEVEN-WAY SOCKET



A1



A2



A3



A4

NO.:	TM NO.:	ORIGINAL NO.:	PORTS
A1	TM3511HA	432 410 226 2	1-1/4
A2	TM3511VP	20424148	-
A3	TM3511TM	432 410 0202	M39x1.5
	TM3511KC	432 410 220 2	M42x1.5
A4	TM3754AA01	432 407 060 0	φ 69
	TM3511EG23	432 407 012 0	φ 87
	TM3511AD020	432 407 018 0	φ 87
	TM3511EF02	432 407 007 0	φ 69




B1



B2



B3



B4




B5

NO.:	TM NO.:	ORIGINAL NO.:	UNL	CONN	PORTS
B1	TM3511NA	065224 (AD-9)	8.1	24V	PT3/4;P4=PT1/4
B2	TM3511BF	DR-31	8.1	24V	SUP+DEL=1/2"NPT;CON=1/4"NPT
B3	TM3511ES	955205 (AD-SP)	8.1	12V	1+21=1/2"NPT;22+4=1/4"NPT
	TM3511ES-A	955079	8.1	24V	1+21=1/2"NPT;22+4=1/4"NPT
B4	TM3511CH-A	LA6200	8.1	M27x1	1+21=M22X1.5;22=M12X1.5
B5	TM3511VL	432 425 101 0	8.1	M27x1	1+21=M22X1.5;23+4=M12X1.5



A1



A2



A3



A4

NO.:	TM NO.:	ORIGINAL NO.:	DIA	AIR	HYD	STROKE
A1	TM1608LB	970 051 158 0	102mm	M16x1.5	M14x1.5	70mm
	TM1608LB-A	970 051 159 0	102mm	M16x1.5	M14x1.5	70mm
A2	TM1608TM	970 051 131 0	85mm	M16x1.5	M14x1.5	72mm
A3	TM1608PW	970 051 209 0	102mm	M16x1.5	M14x1.5	26mm
	TM1608PZ	970 051 218 0	102mm	M16x1.5	M14x1.5	26mm
A4	TM1608EG	970 051 438 0	102mm	M16x1.5	M14x1.5	85mm



B1



B2



B3



B4

NO.:	TM NO.:	ORIGINAL NO.:	DIA	AIR	HYD	STROKE
B1	TM1608EA07	970 051 412 0	102mm	M22x1.5	M14x1.5	85mm
B2	TM1608PQ	970 051 126 0	76mm	M16x1.5	M14x1.5	67mm
	TM1608PC	970 051 114 0	76mm	M16x1.5	M14x1.5	67mm
	TM1608PR	970 051 102 0	76mm	M16x1.5	M14x1.5	67mm
B3	TM1608PG	970 051 170 0	102mm	M16x1.5	M14x1.5	85mm
	TM1608PA02	970 051 174 0	102mm	M16x1.5	M14x1.5	85mm
B4	TM1608PS01	970 051 190 0	85mm	M16x1.5	M14x1.5	65mm



C1



C2



C3



C4

NO.:	TM NO.:	ORIGINAL NO.:	DIA	AIR	HYD	STROKE
C1	TM1608PS	970 051 151 0	85mm	M16x1.5	M14x1.5	65mm
C2	TM1608PA06	970 051 157 0	102mm	M16x1.5	M14x1.5	85mm
C3	TM1608HA01	970 051 455 0	102mm	M16x1.5	M14x1.5	74mm
	TM1608HA02	970 051 402 0	102mm	M16x1.5	M14x1.5	85mm
C4	TM1608PE01	970 051 179 0	102mm	M16x1.5	M14x1.5	58mm
	TM1608PE02	970 051 128 0	102mm	M16x1.5	M14x1.5	58mm

Container Lock



TMTL-01



TMTL-02



TMTL-04



TMTL-05



TMTL-06



TMTL-07



TMTL-08



TMTL-09



TMTL-10



TMTL-11



TMTL-12



TMTL-13



TMTL-D01



TMLK-01



TMLB-01



TMLB-02

Bolt

M22X78X390



M22X92X420



M22X1.5X4.5"



3/4" - 16UNF-R



Bush & Pin

TMBH-01



TMBH-02



TMBH-03



TMPN-01



TMPN-02



TMPN-03



Center Bearing

201661-1X



HB88509



Bearing

HM218248/10



HM518445/10



Universal Joint

CZ 276



WG9370310010



5-677X



5-12392



Ratchet Straps

TMRT-02



size:2"
Handle Length:230mm
Break Loading(Strength):4000Kg/88000Lbs
Hook Option

TM01



TM02



TMRT-03



size:3"
Handle Length:300mm
Break Loading(Strength):5000Kg/11000Lbs
Hook Option

TM01



TM02



TMRT-04



size:4"
Handle Length:300mm
Break Loading(Strength):10000Kg/22000Lbs
Hook Option

TM01



TMRT-50L



TMRT-B02



Cargo Bar



Chain

Load Binder

3/8in G80CH	3/4in G80CH	5/16"-3/8"	3/8"-1/2"
			

Grab Hook

TMHK-3/8	TMSH-3/8	TMHK-1/4	TMEH-2T	TMHK-3T
				

TMM8*13-0.3T	TMSC-3.25T	TMDK-3.15T	TMDL-5.3T
			

Winch

TMWH-W01	TMWH-W02	TMWH-W03	TMWH-W04	TMWH-W05
				

Hydraulic Bottle Jack



Item No.	Capacity (T)	Min.H. (mm)	Lift.H. (mm)	Adjustable (mm)	Max.H. (mm)	N.W(Kg)	Qty/20ft (Pcs)
TMHB-02	2	148	80	50	278	2.1	8300
TMHB-04	4	180	110	50	340	2.9	5800
TMHB-06	6	185	115	60	360	3.6	4440
TMHB-08	8	200	125	60	385	4.6	3476
TMHB-10	10	200	125	60	385	5.1	3200
TMHB-12	12	210	130	60	400	6.2	2700
TMHB-16	16	225	135	60	420	7.2	2222
TMHB-20	20	235	145	60	420	9.6	1950
TMHB-30	30	255	150	/	405	12	1290
TMHB-32	32	255	150	/	405	12	1290
TMHB-50	50	300	180	/	480	30	580
TMHB-50	50	255	150	/	405	18.5	850

Hydraulic Floor Jack



Item No.	Capacity (T)	Min.H. (mm)	Lift.H. (mm)	Max.H. (mm)	N.W(Kg)	Qty/20ft (Pcs)
TMHF-1.5	1.5	125	175	300	6.5	2500
TMHF-02	2	125	175	300	6.5	2500
TMHF-02	2	135	205	340	8	2150
TMHF-2.5	2.5	140	320	460	22	620
TMHF-03	3	135	365	500	31	500

Scissors Jack



Item No.	Capacity (T)	Min.H. (mm)	Max.H. (mm)	N.W(Kg)	Qty/20ft (Pcs)
TMHS-01	1	90	310	2	6700
TMHS-1.5	1.5	105	380	3.2	4500
TMHS-02	2	105	385	3.3	4500

Farm Jack

60"



48"



33"



20"



Towing Eye



TMTE-01



TMTE-02



TMTE-03



TMTE-04

Small Trailer Coupling



TMTC-S01



TMTC-S02



TMTC-S03



TMTC-S04



TMTC-S05



TMTC-S06

Drawbar Coupling



TMCL-01



TMCL-02



TMCL-03



Tank



Steel Air Tank



Aluminum Air Tank



Cabin Cylinder



C1



C2



C3



C4



C5

NO.:	TM NO.:	ORIGINAL NO.:	APPLICATION
C1	TM1011CA	0025537705	MERCEDES-BENZ
C2	TM1011CB	375351	SCANIA
C3	TM1011CC	0025539205	MERCEDES-BENZ
C4	TM1011CD	3198843	VOLVO
C5	TM1011CE	8150551	VOLVO

Hydraulic Cylinder



Number	Nominal Stage OD	Number Stages	A Stroke	B Closed	C Open	D Pin	G Pin
TMCY-13-60	5	3	60	30	90	2	1.5
TMCY-18-90	5	3	90	39.75	129.75	2	1.5
TMCY-65-104	5	3	104	47.69	151.69	2	1.75
TMCY-65-120	5	3	120.13	53.06	173.19	2	1.75
TMCY-101-126	6	3	126.31	54.56	180.87	2	2
TMCY-74-135	7	4	135	48.44	183.44	2	2
TMCY-74-140	7	4	140	49.75	189.75	2	2
TMCY-74-161	7	4	161.75	55.31	217.06	2	2
TMCY-66-170	8	4	170	57.25	227.25	2	2
TMCY-66-190	8	5	189	54.62	243.62	2	2
TMCY-66-250	8	5	249	71	336	2	2

Engineering Hydraulic Cylinder

Komatsu	Sumitomo	Kodelco	Cat
Hitachi	Hyundai	Doosan	Volvo



Stack Pipe

MUF-5

M100465-2

614200-3

BPC90500-1

90500-1



Torque Rod

1-37171-058-0

EH 700

55542-Z2001

XTI-MR782



Engine Parts

677 420 0123

4934322

2-4941224

1-3970117

5340.1112010

14-3971519



Oil Seal

307-0743

70001

37003A

376590A

370065



Fuel Pump



044008007



0440008069



0440011007



0000906050



VOLVO 77989

Fan



1393424



1339241



1423891



9062050106

Clutch Disc & Clutch Cover



EQ395



WG9725160300



41200-Y43J0



AZ1246020005A



1601Z56-090



3482000257



412007M201



S2000-1600750

Tie Rod End



ES346LR



ES373LR



8982281071-1



345-225



AZ9725526272

Silicone Hose



561.15350400



561.16250



561.1544560



4238-1170
-172-30



CH.100-800
-150-150

Filter



CA-3603



CA-2577



CA-1596



5010230841



5010094146



20435801



OEM NO.	Cylinder Bore	Stroke	Swept Volume
CB.104.000	Ø75	50 mm	440 cm³



OEM NO.	Cylinder Bore	Stroke	Swept Volume
CB.105.000	Ø75	50 mm	440 cm³



OEM NO.	Cylinder Bore	Stroke	Swept Volume
CB.106.000	Ø75	50 mm	440 cm³



OEM NO.	Cylinder Bore	Stroke	Swept Volume
CB.107.000	Ø75	50 mm	440 cm³



OEM NO.	Cylinder Bore	Stroke	Swept Volume
CK.110.000	Ø75	50 mm	440 cm³



OEM NO.	Cylinder Bore	Stroke	Swept Volume
CK.111.000	Ø75	50 mm	440 cm³

Turbocharger



24100-3251



8980795692



738769-5003S

Starter



TM275C/
Mitsubishi 6D16



TM2813/
Setra WD615



TM2802/
Cummins 6CT

Mudguard

TMM-A

TMM-B


TMM-C

TMM-D

TMM-E

TMM-F

TMM-G

TMM-H


Type Dimension		TMM-A	TMM-B	TMM-C	TMM-D	TMM-E	TMM-F	TMM-G
Radius	R	580	580	610	680	580	480	580
Length	A	1270	1270	1400	1270	1270	635	1270
Width	B	640	680	640	680	640	654	520
Height	C	640	680	700	680	680	77	640

Mudguard Parts

TMMP-01

TMMP-02

TMMP-03


Lamp

TML-T01



Tail Lamp
Voltage: 24V/12V
Led Quantity: 24

TML-T02



Tail Lamp
Voltage: 24V
3C Authentication
Led Quantity: 24

TML-T03



Side Lamp
Bulb Mode: R5W (24V5W)
3C Authentication

TML-T04



Warning Triangle
3C Authentication

TML-T05



2" Side Lamp
Voltage: 24V/12V
Led Quantity: 6

TML-T06



4" Rectangle Lamp
3C Authentication
Voltage: 24V
Led Quantity: 6

TML-T07



License Plate Lamp
Voltage: 24V
Led Quantity: 6

TML-T08



TML-T09



TML-T10



Trailer And Engineering Parts

Semi-Trailer

Skeletal



Low Bed



Flat Bed



Spare Tyre Carrier

TMTC-01



TMTC-02



TMTC-03



Train Parts

Hand Brake Wheel



Brake Hand



Center Pivot



Center Pivot



Engineering Parts

Bucket



Track Roller



Top Roller



Idler



Sprocket Rim




TMFMP-01



TMFMP-02



TMFMP-03



TMFMP-04



TMFMP-05



TMFMP-06



TMFMP-07



TMFMP-08



Rotavator




Disc Plough




Spring Cultivator



Bale spear



Models	F	L	D	Ö
TMBS-A01S	M20x1.5	600	35	36
TMBS-A02S	M22x1.5	680	40	36
TMBS-A03V	M22x1.5	810	40	36
TMBS-A04S	M20x1.5	820	60	36
TMBS-A05V	M22x1.5	800	37	36
TMBS-A06S	M20x1.5	805	34	36
TMBS-A07V	M22x1.5	1000	40	36
TMBS-A08V	M22x1.5	1100	40	36




SIZE	6X4	7X4	8X4	7X5	8X5
40"HQ	50	45	40	40	38
Material	checkerplate t=2.5mm	checkerplate t=2.5mm	checkerplate t=2.5mm	checkerplate t=2.5mm	checkerplate t=2.5mm
Surface Finish	HotDip Galvanized	HotDip Galvanized	HotDip Galvanized	HotDip Galvanized	HotDip Galvanized
Loading Capacity ATM	750KG	750KG	750KG	750KG	750KG
Chassis Beam Size	50x50x4	50x50x4	50x50x4	50x50x4	50x50x4
Drawbar	70x50x2.5	70x50x2.5	70x50x2.5	70x50x2.5	70x50x2.5
Lashing Bar	25x2.0	25x2.0	25x2.0	25x2.0	25x2.0
LeafSpring	7x50x5L	7x50x5L	7x50x5L	7x50x5L	7x50x5L
Tire	165/70r13	165/70r13	165/70r13	165/70r13	165/70r13
Couing Safty Chain	50/3 hole	50/3 hole	50/3 hole	50/3 hole	50/3 hole
Jocke Wheel	6"	6"	6"	6"	6"
Brake	no	no	no	no	no
Axle	50x4	50x4	50x4	50x4	50x4
Light	5 PinElectrical coilwith plugLED light set	5 PinElectrical coilwith plugLED light set	5 PinElectrical coilwith plugLED light set	5 PinElectrical coilwith plugLED light set	5 PinElectrical coilwith plugLED light set

Product Testing Flow



Hardness Testing



Leaf spring Fatigue Testing



Slack Adjuster Testing



Wheel Rim Fatigue Testing



Axle housing bending testing



Metallographic Analysis



Isdaka®



CHASSIS AND TRAILER PARTS

WWW.STEPHANITIRES.COM

CONTACT US:
SALES@STEPHANITIRES.COM

PHONE 305-652-2200 WHATSAPP +1 561-213-8525